AUTOMATED AUCTION PROTOCOL PROCESSOR

FIELD OF THE INVENTION

The present invention relates to data processing systems present invention relates to a data processing apparatus and 3 method for the managed trading of select classes of securities or other commodities in accordance with specific protocols in an auction format with controlled sequence of 10 auction events. The inventive system is presented in the context of selected fixed income auction protocols for fairly and quickly transacting offer-bid trading.

BACKGROUND OF THE INVENTION

Economic activity has at its centerpiece the buyer-seller transaction for all goods and services produced and consumed in a market economy. It is the fundamental mechanism to which resources are allocated to producers and output to consumers. The operation of the buyer-seller mechanism can and often is a critical determination of economic efficiency and when operated properly, will substantially enhance market performance.

Through history, there have been many different 25 approaches adopted to fairly bring buyers and sellers together, each with the key objective of permitting transactions at or as close as possible to the "market" price of the goods. By definition, the market price is the price (in given currency terms) that a fully educated market, given full 30 access will transact select goods. This can only be accomplished by permitting full access to the transaction by essentially all potential buyers and sellers. However, the buyer-seller transaction must be structured to operate at very low costs-or it will disjort the market price of goods with 35 the artificially high transactions costs. Thus, as can be seen, the two keys to effective buyer/seller transactions—full access and knowledge doupled with low costs—can be and are often conflicting, necessitating trade-offs between trading efficiency and market knowledge.

One well-known and particularly successful trading system is known as the "open outcry auction". This involves a process wherein buyers and sellers collect in one location and prices for select goods are presented to the group through a broker, via simple vocal offerings. This approach 45 has been used for almost all kinds of goods, but is particularly useful where there are no established trading locations or markets for the selected items. It is the dominate trading forum for exotic items such as rare pieces of art and the like. Although successful in bringing interested parties to the 50 transaction, the overall process can be very expensive, adding significantly to the market-distorting transaction

Open outcry auction techniques, modified over time, have ing activities, including the buying and selling of farm produce and livestock, oil and commodities contracts, future contracts on a variety of items and—particularly germane to the present invention—fixed income securities. These tradfungible items, that is, items that are without meaningful differentiation from like ilems on the market. For example, a bushel of wheat for February delivery is considered for sale and delivery at a price independent from its source. Similarly, a 30-year treasury bond paying a coupon rate of 65 8 percent and having a July 1996 issue date is indistinguishable from other 30-year treasuries having the same properties. Accordingly, the price buyers are willing to pay and sellers willing to accept defines the market price of all 30-year treasuly bonds of that same vintage, allowing a source transparent application of open outcry auction trad-

for assisting in financial transactions. More particularly, the The fixed income securities issued by the United States Government are known as U.S. treasuries. These instruments typically span maturity terms at issue of 13 to 52 weeks (T-bills), one to ten years (notes), and up to 30 years (bonds). The T-bills are pure discount securities having no coupons. Almost all other treasuries having longer terms are coupon notes or bonds, with a defined payment cycle of semi-annual payments to the holder.

> Treasuries have characteristic properties that make them especially useful fol the purpose of the present invention and, therefore, are ysed exclusively in the following discussions with the fundamental tenant that the principles may be applied to other types of fixed income securities without departing from the inventive concepts. One important attribute of treasuries, in the context of the present invention. is the minimal and uniform default risk; the issuance of U.S. government paper removes the default risk as a defining criteria in the relative pricing of treasuries in the market place when they are backed by the full faith and credit of the U.S. government.

New treasury securities are auctioned by the U.S. government at preestablished auction dates. The auction prices for the treasuries having A face value with a set coupon rate will define the issuance yields of the security. After the auction, the treasuries Enter the secondary market and are traded typically "over/the counter", i.e., without a defined exchange. As inflation expectations and supply and demand conditions change, the prices of the recently auctioned treasuries fluctuate on the secondary market. These new prices are reflected by competing bid and ask prices communicated among institutions, banks, brokers, and dealers in the secondary market. For example, the yield of a treasury note increases as its price drops in the market, typically reflecting an operall increase in the interest rates for that term of security

The newly auctioned securities are traded with and in conjunction with the securities issued in earlier auctions. In this context, some securities are traded more often than others and are called the "actives"; the actives usually correspond to the recently issued securities as opposed to the older securities in the market. Indeed, some older securities are infrequently traded, creating an illiquid market that may or may not reflect the current market-determined interest rate for that maturity length security.

As can be realized by the foregoing description, the very size and diversity of the treasury market implicates an unprecedented level of sophistication by market participants in the bidding, offering, buying, and selling transactions also found successful application in many commodity trad- 55 involving these securities. The very complexity associated with the transactions and the scale of trading undertaken by banks, brokers, dealers and institutional participants necessitates a rigidly structured approach to trading.

In the past, open outcry auction bond brokering has served ing activities focus on the buying and selling of essentially 60 its customers well, providing highly efficient executions at near perfect market pricing. The open outcry auction applied to bond trading was implemented by a broker working with a collection of customers to create and manage a market. Typical customer representatives—both buyers and sellers—at a common location (e.g., a single room) where the representatives of the customers would communicate with each other to develop pricing and confirm transactions.

ĮQ ١Ď

ίħ

(1)

ļa

In

ļ.Ł

This process employed the expression by the representatives of various bid and offer prices for the fixed income security at select volumes (i.e., how many million dollars of bonds at a given maturity). This expression would involve the loud oral "cry" of a customer-proposed bid or offer and the coordination with the fellow representatives regarding the extraction of complimentary positions—until a transaction match is made and a deal is done. This "trade capture" process relies on after-the-fact reporting of what just transpired through the oral outcry trade.

Recently, the trade capture process was performed by having designated clerks input data into electronic input devices. An input clerk would attempt to interpret the open outcry of many individual brokers simultaneously who sequentially are making verbally known their trading instructions of their customers. The quality of the data capture was a function of the interpretative skill of the input clerk, and the volume and the volatility of customer orders. A significant drawback to this type of auction data capture process is the difficulty in discerning the distinct trading instructions verbalized in rapid succession during a quickly moving market, so that an accurate sequence of data can be captured by brokers and a set of inputters.

The many permutations of this process will be discussed in some detail below. At this juncture, suffice to say that at the volumes of business transactions existing at the time of its development, and the lack of suitable alternatives, left this process as the dominate trading mechanism for decades. However successful, this approach was not perfect. Indeed, in recent years, some of the problems in a open outcry auction forum have been amplified by the vastly increased level of trading now undertaken in the fixed income field. 30 Without attempting to be comprehensive, difficulties would occur by the injection of trader personalities into the open outcry auction process. For example, an aggressive—highly vocal representative may in fact dominate trading—and transaction flow—even though he/she may only represent a smaller and less critical collection of customers. Although such aggressive actions at open outcry auction may be beneficial to those particular customers in the short run, overall, such dominance of the trading can and will distort pricing away from the actual market conditions.

Other problems exist in open outcry auction that deplete efficient trading. The speed at which trading flows and the oral nature of the auction process injects a potential for human error that often translates into many millions of dollars committed to trades unrelated to customer objectives. As such, the broker is left at the end of each trading day with a reconciliation process that may, under certain market conditions, wipe out all associated profit from that day's trading. Also, customers may quickly change direction regarding trading, based on new information available to the market. Shifting position or backing out of previously committed transactions on very short notice is often very difficult in the traditional open outcry auction process.

There have been many past efforts to incorporate computers into trading support for select applications and securities. Indeed, almost all trading today involves some computer support, from simple information delivery to sophisticated trading systems that automate transactions at select criteria. However, these systems have not significantly impacted the issues presented above as they relate to open outcry auction trading in the fixed income field. It was with this understanding of the problems with certain trading processes that formed the impetus for the present invention.

OBJECTS AND SUMMARY OF THE PRESENT INVENTION

It is, therefore, an object of the present invention to 65 provide a data processing system to implement a trading system capable of high volume trading activity.

Its is another object of the present invention to provide a data processing method supporting a transaction enabling process for trading securities at accelerated levels with minimal errors and costs.

It is yet another object of the present invention to provide a data processing system to support a formalized trading protocol governing the control of trading on a bid/offer market.

It is also an object of the present invention to provide a system for collecting, displaying and distributing in real time information on current market activity in fixed income securities and processing this information to quantify the extent of order and trading activity of customers in real time.

It is another object of the present invention to provide an apparatus for the select processing of several types of data wherein data is qualified prior to use and translating the qualified data into order and trading states for fixed income securities.

It is still another object of the present invention to provide a data processing system that provides controlled access to trading commands pursuant to pre-established trading criteria.

It is yet another object of the present invention to provide a computer system that includes multiple workstations linked by a high speed communication loop to permit rapid distribution and exchange of market data to participating customers and brokers.

It is still another object of the present invention to provide a system that rewards customers that create liquidity while insuring customer orders are satisfied in an orderly and equitable fashion.

It is yet another object of the present invention to provide a database system linked to the auction processor for collecting, filtering, and distributing select market data in near real time.

It is another object of the present invention to provide a computer system with a dedicated input system for a workstation, that is customized for the trading undertaken by that workstation and may be customized to the trading patterns and customers for a given broker at that workstation.

Yet another object of this invention is to provide timely order checkout.

Still another object of this invention is to provide customized trading tools particular to a given customer, such as stop limit orders, contingent orders, flags (warnings) to the broker that a particular customer has reached a trading limit (e.g., margin limit), and the like.

A further object of this invention is to utilize the present system for the trading of other financial products, such as futures, indices, and the like.

The above and other objects of the present invention are realized in a specifically delineated computer-based, data processing system having a governing program controlled logic for orchestrated management of select trading functionality. The data processing employs a plurality of trading workstations linked with a server for coordinated data flow and processing. Communication is provided by per se available network, via Ethernet, token ring, token bus, or other hierarchical LAN and/or WAN configuration. The system preferably includes addedicated keypad for input from each workstation that facilitates providing individually programmed keystroke commands; other keyboards or keypads can be used and are often software configurable so as to be compliant with the present system. A central processing

logic dictates the available trading options and screen displays for each workstation. As transactions are entered, various protocols effect the allocation of bid-offer control 6 and trade management. As trades are completed, the system updates a linked database with the newly entered transac-

In accordance with the varying aspects of the present invention, the controlling logic provides for a particular sequence of trading states for each participant. The five

TABLE I

- Workup State
- Bid-Offer State
- (iii) Second Look State
- When State

Workdown State

١D

ţŌ

[1]

٠Ū

(1

1

As the various transactions are entered, the trading stations and their interrelationships exist in one of these five states. The workstation "state" will determine the options available to that trader—and thus enables controlling the flow of trades in a cost-efficient and error-free manner. As all participants implement trading on similarly configured workstations, the protocols are universal for all traders, thereby precluding aggressive control of transactions in the absence of true capital commitment.

The foregoing features of the present invention may be more fully appreciated by review of specific illustrative 30 examples thereof, presented hereinbelow in conjunction with a descriptive set of figures.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 is a system block diagram depicting the salient 35 hardware components of the present invention;

FIG. 2 provides a flow diagram depicting the transmission of trading related information;

FIG. 3 depicts the salient features of the dedicated key-

FIG. 4 is a block diagram of the various system states and pathways therebetween;

FIG. 5 is a logic diagram for trading data input;

FIG. 6 is a logic diagram for the Bid/Offer State;

FIG. 7 is a logic diagram for the When State;

FIG. 8 is a logic diagram for the Workup State;

FIG. 9 is a logic diagram for the Second Look State;

FIG. 10 is a logic diagram for the Workdown State; and 50

FIG. 11 is a trading logic summary table.

DETAILED DESCRIPTION OF THE INVENTION

First, in brief overview, the present invention is directed 55 to a data processing system for implementing complex trading rules in support of select transactions. The first aspect of the invention relates to a particular hardware arrangement that provides a specifically tailored platform for processor enhanced and supported trading. This hardware 60 arrangement encompasses a plurality of custom designed workstations linked together for communication. Each workstation is linked to a central server that orchestrates the trading processes in accordance with program controlled 81 some level of hierarchy is set. A customer who hits on a bid the particulars of trading activity. A customized keypad permits enhanced data/position entry by the broker.

Afor controlling system dynamics. This logic is stored in system memory and provides the sequence of protocols and rules that allocate trading priority, and the system responses to operative commands entered by the brokers at the workstations. The system logic is critical on two levels. First, it is important as the guiding principles underlying the system and thus performance is tied directly thereto. On a second level, system logic must be known to all customers and traders as the rules dictating market access and response—to eliminate any confusion and to place participants on as close to an equal footing as possible. It is a fundamental precept of the present system to provide fair and complete access to the trading process to all registered participants.

To better appreciate the following details, a review of the nomenclature employed is recommended. The illustrative examples herein/all focus on fixed income instruments and trading of these instruments in large volumes—with the volume of a given transaction delineated in dollars (e.g., \$25 million of 10-year treasuries).

The following terms are used with the associated defini-

TABLE 2

	Bid	Dollar amount offered to buy a security - issue.
	Offer	Dollar amount offered to sell a security - issue.
	Spread	Difference between best bid(s) and offer(s) on market.
	Issue	A common class of fixed rate treasuries.
	Hit	Accepting a pending bid.
0	Lift	Accepting a pending offer.
	Size	The volume in dollars of a particular Bid/Offer.
	Makers	Customers with pending offers and bids - making
		a market.
	Uncleared Entry	Current bids/offers that lack a counterparty, i.e.,
•	JOY A!	have not been lifted or hit.
5	Traders	After a trade is initiated; all customers involved in
5		transactions (as buyer or seller).
	Trade	A string of transactions at one price initiated by a
		hit or lift and continuing until timed out or done.
	Aggressor	A customer who initializes a trade.
	Active Side	Group of Makers on same side of market as the
0		Aggressor.
•	Passive Side	Group of customers on opposite side of market from
		the Aggressor.

The general context of system operation is based on the repetitive operation of several functions, and, in its preferred embodiment, implements these functions through a specially designed keypad. Generally, the process begins when customers contact the brokers and place bids and offers for a defined class of instruments. These various positions are displayed on the computer terminal in specific ways to reflect priority, etc. A customer can establish trading priority by placing a bid or offer at a select price and volume; bids at the same price are displayed on the screen in time order in which they enter the system (as are offers). As such a "queue" of bids and offers develops, with place in line set by time at the same price. This queue is displayed on screen at the broker's workstation. Typically, there is a small difference between the bid price and offer price—the "spread". If no difference exists, this is known as a "locked" market

Importantly, a bid and offer are commitments—once placed, a bid can be "hit" and an offer can be "lifted" by a customer willing to trade the instrument at the set price.

logic. The workstation includes a display for presentation of 65 or lifts an offer is promoted to a new level known as the 'aggressor". By acting on a bid or offer, the aggressor defines (and thus establishes) the active side of the trade. For

ļÀ

Ü

example, if the customer hits a bid, selling becomes the active side of the trade and buying turns passive. However, if the customer lifts an offer, buying is active. This is an important practical consideration, as by convention the active side pays commissions on the ensuing transactions. 5 This allocation of commissions is premised on the notion that the active customers are taking advantage of liquidity while the passive side is supplying liquidity to the market

For controlled implementation, the above-noted delineation between active and passive sides is important and 10 carries more significance in processing transactions than the different sides of the transaction, i.e., the bid and offer.

Focusing further on the nomenclature for the system logic, a "trade" is considered a sequence of trading events, triggered by the initial hit or lift that defines the aggressor, and continues for all such transactions until the trade "clears". During a trade, the aggressor side remains active and all transactions take place at the price set by the initial hit or lift-regardless of the number of following transactions. To properly track activity, a trade generates a (virtual 20 and/or real) single trade ticket—with associated, and screendisplayed, reference number.

With the foregoing overview in mind, attention is first directed to FIG. 1, wherein a block diagram depicts the various hardware components found in an operative embodiment of the present invention. In this context, a plurality of workstations 10 are provided, each individually linked to a central server via network lines 15. Server 20 includes controlling software for managing the interaction of the dataflows to the individual workstations 10 in accordance with system constraints.

Continuing in FIG. 1, the system may be linked to brokers and customers at remote locations. Access to trading activity is accomplished to Communication Server 30 and Remote 35 Server 40 to a remote distributor hub 50 and remote workstation 60. Supplemental communication lines are utilized via conventional phone link 90. The above platform further, includes a 32-bit operating system to manage the multi-24 tasking environment within the network. The present invention has been successfully implemented using the OS/2® operating system; however, other operating systems may be substituted. The workstation design can be selected from Pentium® processor based PCs, SPARC Station® (using UNIX®) or other microprocessor based systems.

Now turning to FIG. 2, the overall information paths of the present invention are presented in block diagram form. This market information is derived from the auction process and is a highly valuable source of data to related markets (futures and options). Beginning with block 100, market 50 data is collected from the plurality of on-line terminals operated by brokers within the relevant bond market sector. A continual exchange of information flows between the brokers, depicted in block 100, and the system proprietor, The interrelationship of these five system "states" is block 110, i.e., as bids, offers and trades are transacted in real block 110, i.e., as bids, offers and trades are transacted in real Rid/Offer States with the contract of the states are transacted in real Rid/Offer States with the contract of the states are transacted in real Rid/Offer States with the contract of the states are transacted in real Rid/Offer States with the contract of the states are transacted in real Rid/Offer States with the contract of the states are transacted in real Rid/Offer States with the states are tra time. This information is collected by the system proprietor and entered into the data processor database.

On-line market data is then transferred to the data filter and enhancer module, block 115, which acts to clarify and articulate the continuous incoming market data for use, e.g., 60 by data accumulators, block 120. One aspect of the data enhancer operation will be the conversion of on-line trading information into digital form for transmission to the classification processor, block 130. The operation of the classification processor is directed to creating a data set in proper 65 format for further manipulation. This includes the generation of a coordinated array of data in matrix format.

Once properly formatted, the on-line market data is then transmitted to the qualification processor, block 140, for determination for a real time command selection. The information is then loaded into the security database, block 150, and then passed to the distribution processor, block 160

The foregoing operation will result in the real time distribution among brokering stations for decision execution and for select distribution within the fixed income investment community. In the context of the present invention, three segments of this community are provided with the data. At block 180 and block 170 System proprietors involved in automated options and futures processing are provided the securities date for quantifying and evaluating specific options and futures positions pursuant to the trading of option and futures contracts on individual securities. In a similar manner, the securities data is provided to system proprietors regarding options and futures contracts to permit proper transactions in the trading of options and futures contracts based on the individual securities data.

The third channel of distribution for the Securities data is to the data accumulators and vendors at block 190. This is followed by the continual distribution of the securities data to traders and brokers within the investment community, block 200, the support of automated trading, block 210, and finally declaring and reporting functions associated with such trading, block 220, to include clearance operators among others.

The trading activity is highly fluid and fast paced. Accordingly, efficient input systems are important to effectuate the multiple options and the use of a highly specialized keypad that permits these levels of efficiency in the present context. Accordingly, a separate aspect of the present invention is the unique keypad depicted in FIG. 3.

During processing, various states" are reached, depending on the type of inputs received by the system. The core state is known as the "Bid-Offer" State and reflects the open status of the market. In this state, customers are referenced as "makers" and "contra-nakers"; during all other states, customers are considered "traders" and "contra-traders". Under this notation, traders and makers are those customers that issue a trading command, while contra-makers and contra-traders are those who receive a trading command. Participants in the Workup State are known as "current workers" and are vested with the authority under system control to hold up a trade for a predetermined duration of time. Important character distinctions between customers at various stages of trade processing are displayed to the broker on screen by reverse highlight or similar.

Bid/Offer State, with the sequence process, assessing system inputs for a change of current state. As inputs are entered, a state change is triggered and processing shifts to the paradigms associated/with (i) When, (ii) Workup, (iii) Workdown, and (iv) Second Look. As each state is entered, the protocols are shifted and new rules to trading apply.

Information about trade progress and participants are provided at each workstation in the form of a specifically oriented screen display. In particular, the system provides for screen display in the form of a trading quadrant or "quad" wherein key trading indicators are displayed. A sample QUAD is depicted below:

			7		
100.01 CUST	Bid	2 Bot	100.03 Cust	Offer	15 Sold
2001 2002	1 1	0	2007 2006	5 10	0
TOTL	2	0		15	0

In the above QUAD, the current bid is depicted adjacent and above the CUST designationpeffecting a bid price of "100.01"; continuing on the same line, the current offer price is set at "100.03"—indicating a spread of 0.02. When a trade is in progress—as initiated by whit or lift from the Bid/Offer State, the broker's attention is mainly directed to the conditional prompt showing the total size that is being bid or a state of the conditional prompt showing the state of the conditional prompt showing t offered and that can be acled upon by the participating customers. This number is displayed at the intersection of the totals line and the Bid/offer column. This total is further 20 refined in the quad into individual prequantities, indicating the customer sizes in their respective rows

Bid/Offer State this total is the same as the conditional 25 prompt as there are no executions. This changes after the first transaction when a "traders list" is created-and the conditional prompt tracks the traders total, while the Maker's total keeps track of the quantity left in the Maker's list.

Turning now to FIG. 5, the data selected for display on the 30 QUAD is processed in accordance with depicted logic. The system enters a new CUST(ID), block 520, e.g., "2001" and stores this in active memory with associated trade data. At test 700, system checks for a new hit/lift; if none, logic command TRD(ID), block 530. The trading command is At continues to the next entry, block 710. A position response confirmed at a systems level, i.e., rejecting system errors via 35 to Test 700 shifts processing to the next state, block 720. Alarm, at 550. Once confirmed, the new data/command TRD(ID) is distributed to the screen buffers for the associated work status for display, block 560. This is repeated for each new entry, block 570.

The following discussion now focuses on the Bid/Offer 40 State, wherein market makers are inputting various bid and offers into the system while waiting for an execution as the market matures. These pending commitments may be taken via hit or lift by makers cufrently showing or by a third party without showing its position prior to the hit (or lift). As new 45 bids and offers are made, the price attendant therewith determines the placement in the queue, with equally priced offers (or bids) ordered in time entry. Accordingly, as the market tightens with better bids and offers (reducing the spread), these new positions are moved to the top of the 50 queue as displayed.

In addition to price, bidy and offers include a size component, that is used to express the dollar volume of the pending bid (or offer). For a/customer to increase the size of the bid or offer, a new entry is made, and placed into the queue separately as the system will not increment the size component-unless adjacent to an existing Bid/Offer already in the queue. In this way, as bids and offers are entered during this state, they are displayed to the brokers in relation to their respective size, with the total Bid/Offer count (aggregate size) displayed at the above noted conditional prompt. As such, the conditional prompt serves as the market capacity at a given price.

A Bid/Offer is typically entered as "uncleared" during the 65 Bid/Offer State-indicating that the bid or offer is only available to the current market participants, i.e., those on the

list with current commitments (bids/offers). Accordingly, uncleared presentations are seen on the screens of only these participants for a system set time interval—and only those customers with current participation can lift or hit these uncleared entries. After the preset time interval has run (tracked by system internal clock) the uncleared bids—if still extant—become available beyond the current participants. There is a busine's purpose for this arrangement. By allowing customers with active bids/offers the first view of the new entry, this rewards these customers for showing the market on their side Thus the initial bidders are invited to become Aggressors -and the system preset interval provides these bidders time to make their decision by preventing new buyers and sellers from entering into the market for this discrete interval

The system logic associated with the Bid/Offer State is depicted in logic flowchart form in FIG. 6. Logic conceptually begins at block \$00, with the data/command entry at block 620. The State Selector qualifies the State as Bid/ Offer, block 620. At block 630, the CUST_X profile is taken from the new entry and all associated data passed into a parameter string, block 640, which is entered.

Continuing with this logic path, test 650 compares any totals counter provides the Makers total to the broker. In the Bid/Offer State this total is the state in the state this total in the state in the s current pricing; if not better, logic branches to block 690 and the new entry is placed at the end of the queue, Q-end. However, if the new pricing, PRL(ID) is better than the old (then current) pricing PRC(OLD), logic brings the new CUST_X to the top of the queue, block 660; also, the market is locked allowing only the current makers (displayed) to react to the new pricing for a pre-set time, block_670.

The screen display will change according to the various entries into the bidding process. In QUAD 2 depicted below, customers 3001-3003 on the bid side reflect a market of 27 million; see conditional prompt: 27. This includes a first bid by customer ("CUST") 3001 of 5.0 million, followed a little later by a second bid of 20 million. In this example, CUST 3007 (could be a bank or other institutional participation) has entered the picture with an uncleared offer of 10 million (marked by asterisk-indicating offer is uncleared); this is the 10 million depicted on the conditional prompt line on the offer side. As such, controlling logic gives the original makers the first review of the new offer by 3007. After the interval, the market is again opened.

کلید			QUAL) 2		
p13/	>7.625 225 108.04 Cust	Bid	TZ 27 Bot	+108.04 Cust	Offer	10 SOLD
55	*3001	5	0	3007	10	0
	3002	1	0			
	3003	1	0			
	3001	20	0			
50	TOTL	27	0		10	0

The When State is triggered by a trading command main impetus for a transaction due to its measure of apparent a Wagainst an uncleared Bid/Offer by an Aggressor who is not one of the original makers. However, the system controls will not allow this trading command by the new Aggressor to be instantaneously executed. In accordance with system logic, the trading processor creates a time interval or delay,

į.:<u>;</u> In

ļ.i

..... 0.... 0....

ĻĎ

n

(ħ ļ÷

and thereby provides the friginal Maker(s) time to assess the VA prequantity of the first two bidders is reduced to zero—as the new situation created by the Aggressor by permitting response to the uncleared entry on the passive side.

in particular, as noted above, the uncleared status exists for a defined interval—controlled by computer driven timer. 5 It is only during this interval that a When State can be instituted, which cap then only last until resolved by either the action of the orginal Makers on the passive side, or by the expiration of the interval timer within system logic,

During When State processing, the system displays the original Makers—existing with Bid/Offers outstanding prior to the entry of the new Aggressor—and the new Trader(s) entering via hit or lift commands on the pending uncleared Bid/Offer; these Makers and Traders are clearly separated on the screen. (See QUAD 3B below). Importantly, these original Makers are given the opportunity to trade at the new price point established by the Aggressor; multiple makers from the original list will each have access to take the new price in the order of their priority in the queue. The system will increment through each Maker; if one issues a buy/sell order at their size, they become the Aggressor. If this occurs, the logic departs the When State and can either enter the Workup State or Workdown State depending on whether the new Aggressor takes the entire volume indicated at the conditional prompt.

Once When State processing has been initiated, no trader entries from the passive side are permitted and customers are blocked from entering on the active side, if they represent the only customer input from the passive side previously. Entries on the uncleared (active) side will come from new traders, extant traders, or the original makers which drive the system back to the Bid/Offer State preceding a trade. If, for example, a trade has 10 offered and 5 are "up", during the When State the trader preferably can cancell the amount which is not yet committed.

However, if the second interval timer expires without any intercession by the original Makers, the When entries (one or several) will automatically trade—and the original Makers will not part take in this trade. During the interval, WTAK flashes on screen to the Makers showing a take on 40 the uncleared offer; WHIT will flash for a hit on an uncleared bid. During this interval, the size entries for pending Makers are all initialized to zero, and no longer presented at the

conditional prompt. When State processing is depicted in FIG. 7 and is 45 triggered by a trading command CMD(I), block 810, Test 820 confirms that the new trading command (hit or lift) is from a new Aggressor; if not, logic continues to block 880

and to either Workur or Workdown State However, a positive response to Test 820 branches logic 50 to block 830, wherein the market is locked for a pre-set time interval. At block 840, all then-current makers are reset to zero. At test 850, the system determines if these makers zero. At test 850, the system determines if these makers workers can trade almost indefinitely, as long as they conyes, the intercepting maker becomes the Aggressor, block 56-860, with full control over the succeeding trade sequence. If not, the new Aggressor is set, block 870, and logic continues to the next State, block 880.

The following sequence reflects the foregoing system logic. In QUAD 3A below, the Bid/Offer State has two 60 customers, 3001 and 3002 each showing bids at 10 million; customer 3007 has just placed an uncleared offer for 1 million. Customer 3001 wishes to lift the new offer by Apositive response to Test 930 passes logic to blocks 940 customer 3007—but he can't automatically. In QUAD 3B and 950 wherein the current workers are assigned and new below, customer 3001 attempts to lift the offer by customer 65 trades entered. The system tests for new trades, Test 960, and 3007 forcing the system into the When State, and creates an uncleared list fof the active side (bid here). However, the

system logic requires that these bids cannot be enforced at the new price point. In this example, the second interval timer provides both original Makers priority over customer 3001; with customer 3002 retaining overall priority via its placement in the queue.

			QUAD	3A		
6181	>7.625 225 108.04 Cust	Bíd	TZ 20 Bot	+108.04+ Cust	Offer	1 SOLD
	3002	10	0	3007	1	0
15	3003 TOTL	20	0		1	0

20	QUAD 3B									
	>7.625 225 108.04 Cust	Bid	TZ 20 BOT	108.04+ Cust	WTAK Offer	1 SOLD				
25	3002 3003	0	0	3007	1	0				
	3001	1	0							
	TOTIL	1	0		1	. 0				

Transactions forming a frade take place in accordance with the present invention/during one of two trading states, known as the Workup and Workdown States. The Workup state occurs pursuant to hits or lifts by an aggressor taking the entire inventory of volume shown on the passive side; once established, the Workup State gives exclusive rights to the trade to the initial frader—who the system recognizes as the current worker. On screen, current workers are high-lighted in a defined manner known to other participants. Current workers control the trade and can submit additional transaction volume to their contra-traders; this to the exclusion of outside customers. Current workers on the active side of the trade will include the Aggressor, and possibly other traders, below the Aggressor with transactions that move the trade into the "Workup" State by filling residual volume that needs "Workdown". For the passive side, an Aggressor that takes the entire kize limits current worker status to himself and his counterparty

The status of current worker dissipates upon entry of "done" by the broker, or the lapsing of the trading inactivity interval. Again, this interval is a pre-set system parameter tinue to respond to their corresponding size offerings.

The Workup State logic is depicted in FIG. 8 and is principally tied to size and new order data. The Aggressor size is entered as is the passive side prior to trade entry, blocks 910 and 920, respectively. At test 930, the system determines if the Aggressor has taken the entire market offering at time of trade; if "no" to test 930, logic continues to block 990 and ultimately the Workdown State (FIG. 9).

processes these accordingly, block 970. This continues until the current workers are done or timed out, Test 980.

(Q

11

٠Ū

m

QUAD 4D

Refno 68119

108.05+

Cust

Sell

SOLD

TZ

BOT

нгт

Buy

The above logic is better understood in the context of a particular example. As shown in QUAD 4A below, a typical opening Bid/Offer display is presented.

		QUAD	4 <u>A</u>		
>7.625 225 108.04 Cust	Bid	TZ 16 BOT	108.05+ Cust	Offer	45 SOLD
3001	5	0	3007	25	0
3002	5	0	3006	10	0
3003	1	0	3005	10	0 1
3001	5	0		_	
TOTIL	16	0		45	0

Assume the bid is his by CUST 3005 selling the entire size (\$16 million) to the passive side. This results in CUST 3005 as the Aggressor and the contra-traders (CUST 3001, 3002 and 3003) as the current workers. It is now the Workup State as the Aggressor has taken all initial size from the passive side. See QUAD 4B.

QUAD Ĺπ >7.625 225 TZ Refno 68119 16 108.05+ SOLD Buy BO Sell 3001 3005 0 16 3002 3003 0 TOTL 16 0 16

ĮĢ

M

٩Ď

(1)

(n

As a current worker, CUST 3002, wishing to continue, adds an additional 5 million size (adding to CUST 3002's original 5 million), which is displayed as 5 under Buy and 5 under BOT. See QUAD 4C. A new customer, CUST 3004, now offers 50 million.

ケラ			QUA	Ø 4C		
5 7	>7.625 225 108.04 Cust	HIT Buy	77 76 801	Refno 68119 108.05+ Cust	Sell	36 SOLD
	3001 3002 3003	0 5 0	10 5 1	3005 3004	0 50	16 0
	TOTL	75	16		50	16

New CUST 3004 must wait until the current workers are done (via keyboard entry or timer controlled system interval). Only after this, may CUST 3004 clear the additional 5 million by QUST 3002, while leaving 45 million uncleared.

OUAD 4D >7.625 225 Refno 68119 TZ 108.04 108.05+ BOT Cust SOLD Cust Sell 16 5 •3001 -3005 10 3003 45

3002 0 10 TOTIL 0 21 45 21 As can be appreciated, various customer moves in the market are often fast paced—and on occasion position Changes may occur almost simultaneously. An example of this may be a first customer hitting a second customer's bid of a certain size, via the buy/sell all key-an instant after that

a second customer has significantly increased the bid size say from \$5 to \$20 million. In this situation, the Aggressor, within the system, has now taken much more than he planned. This situation can be very disturbing in a rapidly hifting market.

.625 225

108.04

Cust

System logic addresses this problem by creating a supplemental state known as the "Second Look" State. If during processing, the passive side size is increased just prior to a hit or lift command, the system discriminates the very recent offer/bid from the earlier entries, via an "age" timer, i.e., a system interval that tracks the pendency of all bids and offers and creates a Second Look State whenever a hit/lift (via buy/sell all key) occurs while a Bid/Offer is under, e.g., two seconds old.

The Second Look, however, is limited. The Aggressor must complete the transaction excluding the new, i.e., "unaged" Bid/Offer. The new size is left uncleared and others may add more offers/bids on this, the passive sidebut these stay below the line. Even though the Aggressor did not fill the entire size displayed, the Aggressor assumes current worker status and has the right to:

1. Take the new size, creating the Workup State with the contra-traders;

2. Refuse the new size; the Aggressor refusal (via "done" command) sets the trade into the Workdown State; and

Take/hit a "partial" amount and then lose priority. The Second Look State is governed by the logic structure 45 depicted in FIG. 9. In this arrangement, the trading command is entered—time stamped at block 1020. The extant passive maker entries are also entered, block 1030, and Test 1040 determines if the Passive side entries, PASS(ID) are "aged", i.e., not just entered. If yes, logic branches to Test 50 1090, to determine if the PASS(ID) is the last entry, PASS_ END. If not, the next one is incremented with logic returning to the sequence start.

A negative response to Test 1040 shifts logic to block 1050 wherein the new entry is parsed; the Aggressor is then given the opportunity to take the new size within the trade at Test 1060. If accepted, logic branches to Block 1080 and to the Workup State. If negative, logic is shifted to the Workdown State, Block 1070.

These principles are delineated in the following sequence of screen displays in QUAD 5A below, wherein CUST 3001, 3002 and 3003 are showing 5 mm. 3002 and 3003 are showing 5 mm, 1 mm and 1 mm, respectively. Just prior to the sell order by CUST 3007 (HIT ALL), CUST 3004 enters with a 1 mm size. All size transacts, except this late 1.0 mm as it had not "aged" sufficiently—as measured by system interval timer. This amount remains untraded and the system enters the Second Look State.,

45

		QUA	D 5A		
>7.625 225 108.04 0 Cust	HIT Buy	TZ 7 BOT	Refno 68115 Cust	Sell	SOLD.
3001	0	5	3007	0	7
3002	0	1			2 7'
3003	0	1			10
3004	_1_	0			:
TOTL	1	7		0	7
					<u> </u>

If CUST 3007 decides to fill this outstanding 1.0 mm size, the state moves out of "Second Look" and into the Workup State with CUST 3007 and CUST 3001 as Current Workers.

7	>7.625 225 108.04 0 Cust	HIT Buy	OUAI	Refno 68115 Cust	Sell	SOLD
	3001	0	É	3007	2	8
	3002	0	/1			
	3003	0	/ 1			
	3004	0				
	TOTIL	0/	8		2	8

If, however, CUST/3007 passes, the trade goes to the Workdown State. New CUST 3005 is positioned below the line and can only trade after CUST 3001 is done and CUST 3004 trades.

	QUAD 5C							
>7.625 225 108.04 Cust	HTT Buy	TZ 7 BOT	Refno 68117 Cust	Sell	0 SOLD			
3001	0	5	3007	0	7			
3002	0	1						
3003	0	1						
3004	1	0						
3005	_1_							
TOTI.	1	7		0	7			

The final state for trading logic is known as the Workdown Sate and it occurs when the original Aggressor takes less 50 than all of the size showing or the passive side. The remaining size must be worked down to complete the trade. This is to reward those customers that show bids/offers, their intent to buy/sell, and thus/provide liquidity in the market. If the original Aggressor returns for the remaining size on 55 the passive size, the Workip State is initiated. Another trader from the active side may "Workdown" the remaining passive side quantity and the trade will go to the Workup State—with this new trader as the current worker—if all the remaining size from the original Bid/Offer State is taken. 60

The Workdown State allows new Aggressors to complete the uncleared bids on the passive side with logic conforming to the flowchart of FIG. 10. In this process, the Trading command, CMD(I), is entered at block 1210. At Test 1220, the system confirms that the trade is for less than the total 65 passive side, TOTL. If not, logic branches to block 1280 and is directed to the Workup State.

A positive response to Test 1220 passes logic to block
1230 wherein the system opens trading to new Aggressors.
to complete the pending passive side volume. However, no
new passive side entries are permitted, block 1240, for the
trade duration. Test 1250 confirms the last trade via timer
Test 1260; if either results in a "Yes", Workdown is termi-
nated and the process returns to the Rid/Offer State

Importantly, new traders presenting on the passive side must wait until all the remaining original size is worked down—and their position is held below the line. This is depicted in the following screens.

40	>7.625 225 108.04 Cust	Bid	OUA TZ YS BOT	+108.04+ Cust	Offer	25 SOLD	-
-	3001 3002	5 10	0	3007	25	0	-
_	TOTL	15	0		25	0	

In QUAD 6A, the Bid/Offer State is depicted with CUST 3001 showing a bid of \$5 million. As the Aggressor, CUST 3001 lifts an offer from CUST 3007, but for only 5 mm of CUST 3007 showing of 25 mm; leaving \$20 million on the passive side. See QUAD 6B.

QUAD 6B									
>7.625 225 108.04 Cust	Buy	TZ 11 BOT	Refno 68118 108.04+ Cust	TAK Sell	SOLD 5				
*3001	0	5	3007	_20	5				
TOTL	0	5		20	5				

At this juncture, if CIST 3006 enters with \$10 million offer, it must wait until the original passive side clears; 40 CUST 3006 is thus kept below line as the remaining size is worked down. See QUAD 6C.

QUAD 6C									
>7.625 225 108.04 Cust	Buy	TZ 11 BOT	Refno 68118 108.04+ Cust	TAK Sell	SOLD				
*3001	0	5	3007		5				
			3006	10					
TOTL	0	5		20	5				

A trade is cleared when that price point engenders no further buyers or sellers. A "clear" button will resurrect a new Bid/Offer State, retaining original makers size from the active side—unless superceded, and remaining untraded size from the passive side.

The logic associated with the five states discussed herein 60 is summarized in tabular form in FIG. 11. The foregoing system design has resulted in a dramatic increase in efficiency and reduction in order errors on the trading floor.

The often frenetic environment of trading, and the entry of commands on the preferred dedicated keypad shown in FIG. 3, and the human factor of customers changing their minds all contribute to the possibility that a trade has been made in error. More particularly, errors can arise due to

July 37

ET ET ET.

11

Hand III

Į,

[]